

Ministerstvo dopravy České republiky
Ministry of Transport of the Czech Republic
Nábřeží L.Svobody 12, 110 15 Praha 1, Czech Republic



OSVĚDČENÍ o:

UDĚLENÍ SCHVÁLENÍ
~~ROZŠÍŘENÍ SCHVÁLENÍ~~
~~ODMÍTNUTÍ SCHVÁLENÍ~~
~~ODEJMUTÍ SCHVÁLENÍ~~
~~UKONČENÍ VÝROBY~~

COMMUNICATION concerning:

APPROVAL GRANTED
~~APPROVAL EXTENDED~~
~~APPROVAL REFUSED~~
~~APPROVAL WITHDRAWN~~
~~PRODUCTION DEFINITELY DISCONT.~~

zádržného zařízení pro dětské cestující v motorových vozidlech podle Předpisu č. 129
of restraining devices for child occupants of power-driven vehicles,
pursuant to UN Regulation No. 129.

Schválení č.:
Approval No.: **E8*129R04/01*15869*00**

1.1 ~~Dopředu / dozadu / bočně směřující~~ **zádržné zařízení pro děti**
~~Forward-facing / rearward-facing / lateral-facing~~ **child restraint**

1.2 ~~Integrovaný / neintegrovatelný~~
Integral / non-integral

1.3 Typ pásu:
Belt type: **(pro dospělé) tříbodový pás / (adult) three-point belt-**
~~(pro dospělé) břišní pás / (adult) lap belt~~
~~speciální typ pásu/navíječ / special type belt/retractor~~

1.4 Jiné znaky:
Other features: **souprava sedačky / nárazový štít / přídavné sedadlo**
~~chair assembly / impact shield / booster seat~~

2. Obchodní název nebo značka:
Trade name or mark:

KANZ, Pierre Cardin, nina Bebek, Chelino, AiMiLe, Viano, Baby Things, kidilo, LUXMOM, LOVAMAMA, BIBIKIDS, Emily, Illaria, Grace, Leia, Mio twin, Thomas train twin, TWIN TRAIN, Space Maks, Rider twin, Cooper, safeguard, bodyguard, Parker, Discovery, gamer, TWIST, Shuffle, Bibikids, Voyager, BibiKids, bibikids, Darex, Little planet, LITTLE PLANET, Little sonya, LITTLE SONYA, little sonya, MY BABY, SWEET BABY, SPASE GT, Babyjet, BABYJET, My Baby, my baby, babyjet, one, one plus, oneplus, one+, Easy, Universal, EasyUniversal, Iron, GAMEMIP, PIRMAG, PROYOYA, Kykababy, Sweet kids, KYKA, PLANKIN, hibobi, mayla, KIDILO, CARE BABY, THUNDER, ECHO, OKIE DOKIE, N GO, YEEHOO, LUXMOM, F GO, PRONTO RTS, PRONTO, NEXUZ R, BRAVO, TIANRUI, SAFEWAY, LEJOUX, ARES, KEOPS, MAMAKIDDIES, IYIJIA, BYBERIT, IBABY, MAMY TOWN, MAXIBABY, LITTLE BRU, Smile, Little one, Baby love, Baby BABYSTAR, Newborn, BBO, MONI, Mon bebe, Moni, bebestar, Cangaroo, Priori, Premium Baby, pikaboo, Yamp!, Lifestyle by infanti, Happy baby, Baby happy, Baby craft, Baby Kit's, bebesit, Infantino, GRACO, evenflo, Disney baby, Multi, Multikids, Prinsel, Playful baby, Circus, RANT, Infanti, MAGIC ZC, KESSER, YAZOCO, JANE, CONCORD, LORELLI, ASPEN, PLIKO, belluno baby, KABUCHI, Wisesonle, Coccolle, SAVCNA, CASILOO, Dulce Baby, COMFORT TIME, STAR BABY, LibreBon, BayoBay, BBo, Bronea, Kanz, Mina Bamtina, Kinderwagen-Shop24, VERONA, motek®, KIDUKU, JUMBO BABY, ColorBaby, tectake, pepita, MOMMO®, XL by mommo, A&A, beige, KIDS Kali, burbay, Premium, Zi, wondrus, Telekepi, Aiolos, BABYKISS, babykids, FLUFFY CARE, ib style, cool baby, TRB, LULLABY IMAGINE BIG, Mike lino®, GREENSKY®, INLEY®, Blovamama, Bibikids, Luxmom, Kyka, bibibaby, PEGAS PREGO, Mino

Bambino, LeP'tit Poucé, kidGO®, MAVAO®, Bella BABY, LiFE AUTHENTICS, Kidi, INING BABY, Plodun, NEW LUX, Baby Way, LOVE smart, KRAFT, amzdeal, hunggy, KIKKA BOO, TIARA, BABY2GO, Baby Plus, Prime bebe, D'ORA, Palli, BABYMAX, beauerkraft, Kiddo, MY BEBE, Kidscool, BEBEFAITH, BABYHUG, KIDDO, KIWI, XPRESS, B2G, SHINYKING, Baby Craft, King unstoppable, Bambino, maxibaby, priori, Baby Smile, Kinder King, LIBERTA, FLOTTI, Max baby, Gese baby, kiddo nation, SULU, MOUDAO, MOUMISS, KEEPOLO, ElveBuka, RocPulire, ARLIFO, kaedyn, Zkiprm, Kakbgee, babyboo, JO MOYNER, JO MOYNER LONDON, Berma Baby, BERMA BABY, SKISOPGO, Aikenn, Vomeast, Bambico, Lorelli, FIRST STEP, LALALUX, LOCO CROCO, duux, Tripper, BEBE FAITH, YOYKO, POWERKIDS, BABY GO, BBQOOL, MEGA BABY, KING BABY, BENE BABY, TinOKIDS, FLYKIDS, Gcarebb, TEAYINGDE, Mikelino,juju, elele, Stokker Baby, Baby Angel, POPYPAPA, AGAPE, HOTMOM, Dalux, FIMOS, SteAnny®, NAF NAF, storch, ACTIVE, LOVA, MUWO baby, GaGa DuMi, BARMOYA, lifestyle by infanti, jungle, Baby Happy, HAPPY baby, playful baby, circus, multi kids, Chipolino, Ninos, NESTA, BABY OWL, Bebelissimo, Daliya, Barotti, Asalvo, Momi, Sweetbaby, Indigo, Jovola, Dzieco, Infanti, kinder land, zy safe, infanti, cosco, safety 1st, Bounce, MUWO-Baby, BABY ALMA, BABYkISS, Farfello, ADL, Kidilo, Vikalex, MamaLoes, SAFARI KIDS, ARAS, Brauni, SAFARI, KIDS, SAFARI BESTLIKE, UNITRAIN, BROWNIE, SAFARI DINO, BEST FOR BABY, Bradex, SAFARI STAR, BELECOO, UT Kids, Preko, Girolli, Myko, Giovani, Evego, D-Kids, Hi Baby, LUNNO, Club Baby, Chiccdi, Casa Bebe, Home Baby, newber, Hagaday, Miller Belle, 美乐贝儿, Mele baby®, KRAFT, TIARA, 尚乐星, SHINYKING JIAOBEI, HAGADAY, Teknum, newber A&A, magic kingdom, nanagu, newborn, willbabaydan, CADDY, charli, babyplus, YOYKO LALALUX Jo, Moyner, BABY PLUS, TELEKEPI MODENA NEGRO, GREENSKY, TonOKids, Huggy, Hi baby, Pixini, SHINGKING, FLOTTI, Kraft, SAVCNA, CASILOO, Magic ZC, Luxmom, Redkite, Fartello, PUCK, BABYHOPE, Chipolino, Jungle, zy safe, cosco, safety 1st, LOVA, lovemama, luxmom, Mybaby, skillmax, Innerbaby, babyhope, voyage, moni, Florence, alma, polly, midas, Ebaby, bolina, Minio, cartan, hilemei, oley, Kikka boo, Born dlx, Chipolino, Baby does, TRALLY, R for rabbit, Gonser, CHIKKO, COOLOV, didit, mamakiddies, CADDY, CHARLI, MEGA, KING, BABY, TinOKids, HUGGY, PIKABOO, HAPPY BABY, BABY CRAFT, LIFESTYLE BY INFANTI, BABY HAPPY, PREMIUM BABY, PRIORI, YAMP, PLAYFUL BABY, CIRCUS, KRAFT, huggy, BABY2GO, Baby plus, Primebebe, bauerkraft, Kiddo, LLALXPRESSALUX, BEBE, FAITH, Huggy, Baby C, Hebe, NICEkids, Bambi, Bebes, Carelife, BABY-COO, Lummi, BARI, nunù, MINIO, CARTAN, ZHILEMEI, MIKELINO, FUNFUNTOWN, MAMCH, AKIDDIES, GONSER, Piccolo, Chipolino, N-GO, Kiddy, Mamakiddies, okie dokie, Lejoux, Little one, Little Bru, Baby kit's, Axes, PRONTO, CUTE BABY, STARANDDAISY, I-sun, AdaBaby, AMAROBABY


3. Označení dětského zádržného zařízení výrobcem: **M7**
 Manufacturer's designation of the Enhanced Child Restraint System:

 Obchodní název: **N/A**
 Commercial name:
 Varianty: **N/A**
 Variants:
4. Název výrobce: **FUZHOU LANBAOER BABY PRODUCTS CO., LTD.**
 Manufacturer's name:
5. Název jeho případného zástupce: **N/A**
 If applicable, name of his representative:
6. Adresa výrobce: **Whole Building, 6# Factory Building, No.10 Guopu Road, Ganzhe Sub-district, Minhou County, Fuzhou City, Fujian Province, China**
 Manufacturer's address:

7. Předáno ke schválení dne:
Submitted for approval on: **3 December 2024**
8. Technická zkušebna:
Technical Service conducting approval tests: **E8/C: TÜV SÜD Czech s.r.o.
Novodvorská 994/138
142 21 Praha 4
Czech Republic**
9. Druh zařízení:
Type of device: **pracující se zpožděním / zrychlením
deceleration / acceleration**
10. Datum protokolu, vydaného touto zkušebnou:
Date of report issued by that Service: **13 February 2025**
11. Číslo protokolu, vydaného touto zkušebnou:
Number of report issued by that Service: **CW126 – 25 – TAC**
12. **SCHVÁLENÍ UDĚLENO / ODMÍTNUTO / ROZŠÍŘENO / ODEJMUTO**
pro používání v rozsahu velikostí 40 až 85 cm univerzální s pásem,
poloha ve vozidle: ~~dopředu~~ / **dozadu** / ~~do boku~~ **směřující**

APPROVAL IS GRANTED / REFUSED / EXTENDED / WITHDRAWN
for size range 40 to 85 cm Universal Belted,
position in vehicle: ~~forward~~ / **rearward** / ~~lateral~~ / **facing**
13. Umístění a druh označení:
Position and nature of the marking: **Štítek nalepený na spodní straně skořápky
Sticker pasted on the bottom of shell**

Provedení schvalovací značky:
Style of approval mark:



14. Místo:
Place: **Praha**
15. Datum:
Date: **Viz digitální podpis
See digital signature**
16. Podpis:
Signature:

.....

17. K tomuto osvědčení jsou připojeny následující dokumenty opatřené výše uvedeným číslem schválení:
- a) výkresů, schémat a plánů dětského zádržného zařízení, popřípadě včetně všech navíječů, soupravy sedačky, nárazového štítu, jimiž je vybaveno;
 - b) výkresů, schémat a plánů nosné konstrukce vozidla a nosné konstrukce sedadla, jakož i seřizovacího systému a připevňovacího kování, popřípadě včetně zařízení k pohlcování energie, jímž je vybaveno;
 - c) fotografií dětského zádržného zařízení a/nebo nosné konstrukce vozidla nebo nosné konstrukce sedadla;
 - d) návodů k montáži a používání;
 - e) seznam modelů vozidel, pro něž je zádržné zařízení určeno.

The following documents, bearing the approval number shown above, are attached to this communication:

- (a) Drawings, diagrams and plans of the child restraint, including any retractor, chair assembly, impact shield fitted;
- (b) Drawings, diagrams and plans of the vehicle structure and the seat structure, as well as of the adjustment system and the attachments, including any energy absorber fitted;
- (c) Photographs of the child restraint and/or vehicle structure and seat structure;
- (d) Instructions for fitting and use;
- (e) List of vehicle models for which the restraint is intended.



Technical Report No.: CW126 – 25 – TAC
 Regulation: UN Reg. No. 129.04
 Manufacturer: FUZHOU LANBAOER BABY PRODUCTS CO., LTD., China
 Type: M7

1/18

UN/ECE Technical Service No. E8/C and E27/J

TECHNICAL REPORT No. CW126 – 25 – TAC

Test according to UN Regulation No. 129.04

Uniform provisions concerning the approval of enhanced child restraint system use on board of motor vehicles (ECRS)

UN Regulation No. 129.00 – date of entry into force: 2013-07-09

including all amendments up to and including

UN Regulation No. 129.04, supplement 01– date of entry into force: 2025-01-10

Objectives: Document for issue of approval certificate

I. Technical data

0.1 Make (trade name of manufacturer):

KANZ, Pierre Cardin, nina Bebek, Chelino, AiMiLe, Viano, Baby Things, kidilo, LUXMOM, LOVAMAMA, BIBIKIDS, Emily, Illaria, Grace, Leia, Mio twin, Thomas train twin, TWIN TRAIN, Space Maks, Rider twin, Cooper, safeguard, bodyguard, Parker, Discovery, gamer, TWIST, Shuffle, Bibikids, Voyager, BibiKids, bibikids, Darex, Little planet, LITTLE PLANET, Little sonya, LITTLE SONYA, little sonya, MY BABY, SWEET BABY, SPASE GT, Babyjet, BABYJET, My Baby, my baby, babyjet, one, one plus, oneplus, one+, Easy, Universal, EasyUniversal, Iron, GAMEMIP, PIRMAG, PROYOYA, Kykababy, Sweet kids, KYKA, PLANKIN, hibobi, mayla, KIDILO, CARE BABY, THUNDER, ECHO, OKIE DOKIE, N GO, YEEHOO, LUXMOM, F GO, PRONTO RTS, PRONTO, NEXUZ R, BRAVO, TIANRUI, SAFEWAY, LEJOUX, ARES, KEOPS, MAMAKIDDIES, IYIJIA, BYBERIT, IBABY, MAMY TOWN, MAXIBABY, LITTLE BRU, Smile, Little one, Baby love, Baby BABYSTAR, Newborn, BBO, MONI, Mon bebe, Moni, bebestar, Cangaroo, Priori, Premium Baby, pikaboo, Yamp!, Lifestyle by infanti, Happy baby, Baby happy, Baby craft, Baby Kit's, bebesit, Infantino, GRACO, evenflo, Disney baby, Multi, Multikids, Prinsel, Playful baby, Circus, RANT, Infanti, MAGIC ZC, KESSER, YAZOCO, JANE, CONCORD, LORELLI, ASPEN, PLIKO, belluno baby, KABUCHI, Wisesonle, Coccolle, SAVCNA, CASILOO, Dulce Baby, COMFORT TIME, STAR BABY, LibreBon, BayoBay, BBo, Bronea, Kanz, Mina Bamtina, Kinderwagen-Shop24, VERONA, motek®, KIDUKU, JUMBO BABY, ColorBaby, tectake, pepita, MOMMO®, XL by mommo, A&A, beige, KIDS Kali, burbay, Premium, Zi, wondrus, Telekepi, Aiolos, BABYKISS, babykids, FLUFFY CARE, ib style, cool baby, TRB, LULLABY IMAGINE BIG, Mike lino®, GREENSKY®, INLEY®, Blovamama, Bibikids, Luxmom, Kyka, bibibaby, PEGAS PREGO, Mino Bambino, LeP'tit Poucé, kidGO®, MAVAO®, Bella BABY, LiFE AUTHENTICS, Kidi, INING BABY, Plodun, NEW LUX, Baby Way, LOVE smart, KRAFT, amzdeal, hunggy, KIKKA BOO, TIARA, BABY2GO, Baby Plus, Prime bebe, D'ORA, Palli, BABYMAX, beauerkraft, Kiddo, MY BEBE,





Kidscool, BEBEFAITH, BABYHUG, KIDDO, KIWI, XPRESS, B2G, SHINYKING, Baby Craft, King unstoppable, Bambino, maxibaby, priori, Baby Smile, Kinder King, LIBERTA, FLOTTI, Max baby, Gese baby, kiddo nation, SULU, MOUDAO, MOUMISS, KEEPOLO, ElveBuka, RocPulire, ARLIFO, kaedyn, Zkiprm, Kakbgee, babyboo, JO MOYNER, JO MOYNER LONDON, Berma Baby, BERMA BABY, SKISOPGO, Aikenn, Vomeast, Bambico, Lorelli, FIRST STEP, LALALUX, LOCO CROCO, duux, Tripper, BEBE FAITH, YOYKO, POWERKIDS, BABY GO, BBQOOL, MEGA BABY, KING BABY, BENE BABY, TinOKIDS, FLYKIDS, Gcarebb, TEAYINGDE, Mikelino, juju, elele, Stokker Baby, Baby Angel, POPYPAPA, AGAPE, HOTMOM, Dalux, FIMOS, SteAnny®, NAF NAF, storch, ACTIVE, LOVA, MUWO baby, GaGa DuMi, BARMOYA, lifestyle by infanti, jungle, Baby Happy, HAPPY baby, playful baby, circus, multi kids, Chipolino, Ninos, NESTA, BABY OWL, Bebelissimo, Daliya, Barotti, Asalvo, Momi, Sweetbaby, Indigo, Jovola, Dzieco, Infancia, kinder land, zy safe, infanti, cosco, safety 1st, Bounce, MUWO-Baby, BABY ALMA, BABYkISS, Farfello, ADL, Kidilo, Vikalex, MamaLoes, SAFARI KIDS, ARAS, Brauni, SAFARI, KIDS, SAFARI BESTLIKE, UNITRAIN, BROWNIE, SAFARI DINO, BEST FOR BABY, Bradex, SAFARI STAR, BELECOO, UT Kids, Preko, Girolli, Myko, Giovani, Evego, D-Kids, Hi Baby, LUNNO, Club Baby, Chiccdi, Casa Bebe, Home Baby, newber, Hagaday, Miller Belle, 美乐贝儿, Mele baby®, KRAFT, TIARA, 尚乐星, SHINYKING JIAOBEI, HAGADAY, Teknum, newber A&A, magic kingdom, nanagu, newborn, willbabaydan, CADDY, charli, babyplus, YOYKO LALALUX Jo, Moyner, BABY PLUS, TELEKEPI MODENA NEGRO, GREENSKY, TonOKids, Huggy, Hi baby, Pixini, SHINGKING, FLOTTI, Kraft, SAVCNA, CASILOO, Magic ZC, Luxmom, Redkite, Fartello, PUCK, BABYHOPE, Chipolino, Jungle, zy safe, cosco, safety 1st, LOVA, lovemama, luxmom, Mybaby, skillmax, Innerbaby, babyhope, voyage, moni, Florence, alma, polly, midas, Ebaby, bolina, Minio, cartan, hilemei, oley, Kikka boo, Born dlx, Chipolino, Baby does, TRALLY, R for rabbit, Gonser, CHIKKO, COOLOV, didit, mamakiddies, CADDY, CHARLI, MEGA, KING, BABY, TinOKids, HUGGY, PIKABOO, HAPPY BABY, BABY CRAFT, LIFESTYLE BY INFANTI, BABY HAPPY, PREMIUM BABY, PRIORI, YAMP, PLAYFUL BABY, CIRCUS, KRAFT, huggy, BABY2GO, Baby plus, Primebebe, bauerkraft, Kiddo, LLALXPRESSALUX, BEBE, FAITH, Huggy, Baby C, Hebe, NICEkids, Bambi, Bebes, Carelife, BABY-COO, Lummi, BARI, nunù, MINIO, CARTAN, ZHILEMEI, MIKELINO, FUNFUNTOWN, MAMCH, AKIDDIES, GONSER, Piccolo, Chipolino, N-GO, Kiddy, Mamakiddies, okie dokie, Lejoux, Little one, Little Bru, Baby kit's, Axes, PRONTO, CUTE BABY, STARANDDAISY, I-sun, AdaBaby, AMAROBABY

- 0.2. Type: M7
- 0.2.1. Commercial name: n.a.
- 0.2.2. Variants: n.a.
- 0.3. Means of identification of type: Letters and digits
- 0.4. Category of vehicle: n.a.






0.5.	Name and address of manufacturer:	FUZHOU LANBAOER BABY PRODUCTS CO., LTD. Whole Building, 6# Factory Building, No.10 Guopu Road, Ganzhe Sub-district, Minhou County, Fuzhou City, Fujian Province, China
0.8.	Address of assembly plant:	See 0.5.
0.9.	Location of the approval mark:	Sticker pasted on the bottom of shell
0.10.	ECRS	
0.10.1.	ECRS category:	Universal Belted
0.10.2.	ECRS class:	Integral
0.10.3.	Size Range:	40-85cm
0.10.4.	Maximum occupant mass for Integral ECRS:	13kg
0.10.5.	ECRS orientation:	Rearward-facing
0.10.6.	Anti-rotation device:	n.a
0.10.7.	Child Restraint Mode:	Y-shaped belt
0.10.8.	Locking-off device type:	n.a.
0.10.9.	Type of retractor:	n.a.
0.10.10.	Belt type:	adult safety-belt
0.10.11.	Other features:	Chair assembly
0.10.12.	Installation Methods:	adult safety-belt
0.10.13.	Backrest positions:	Fixed
0.10.14.	Declaration on toxicity in accordance with par.6.3.1.1. of this regulation:	See Appendix 3 of information document
0.10.15.	Declaration on flammability in accordance with par.6.3.1.2. of this regulation:	See Appendix 3 of information document
0.10.16.	Instruction for use of ECRS in the vehicle:	See Appendix 2, Appendix 4 and Appendix 5 of information document

II. Test report

1. Test conditions

1.1.	Test sample:	ECRS of size range 40-85cm, type M7. For type approval tests: Samples No. 1 to 9; and relative components; for production qualification tests: PQT-1 to 5.
------	--------------	--





- 1.1.1. Technical data from the manufacturer: n.a.
- 1.2. Test procedures used: According to UN Regulation No. 129.04
- 1.3. Measuring and test equipment: Used equipment fulfill all requirements of the UN Regulation No. 129.04
- 1.4. Worst case evaluation: N/A, single case - no variant.
This paragraph is required by the Type Approval Authority.
- 1.5. Testing conditions: n.a.
- 1.6. Test track or site: CATARC Automotive Component Test Center (Ningbo) Co., Ltd.
No. 99, Jingu South Road, Yinzhou Investment & Business Center, Ningbo, Zhejiang, China

2. Test results

Following numbering is according to UN Regulation No. 129.04

4. Markings

- 4.1. ECRS is marked of manufacturer's name, initials or trade mark: fulfilled
- 4.2. ECRS is clear and indelible marked with year of production: fulfilled
- 4.3. Orientation, size range, maximum occupant mass, webbing path, and visibility of these marking: fulfilled
- 4.4. ECRS is permanently attached the warning label of "Airbag": fulfilled
- 4.5. ECRS is permanently attached the warning label of no forward-facing for child less than 15 months: n.a.
- 4.6. The webbing path markings shall be permanently and durably attached and visible: fulfilled
- 4.7. Marking for integral ECRS including ISOFIX connections attachments
- 4.7.1. for i-Size ECRS, the i-Size Logo shall permanently visible: n.a.





- 4.7.2. for Specific Vehicle ISOFIX ECRS, the ISO ISOFIX logo and user instruction label shall permanently visible: n.a.
- 4.7.3. If ECRS containing modules, approval mark shall be permanently attached on base: n.a.
- 4.7.4. If ECRS containing modules, module mark shall be permanently attached on the module: n.a.
- 4.8. Marking for non-integral ECRS
- 4.8.1. For i-Size booster seat ECRS, the i-Size booster seat user instruction label shall be permanently visible as prescribed in item 4.7.1.: n.a.
- 4.8.2. for Specific vehicle booster seat ECRS, the Specific vehicle booster seat user instruction label shall permanently visible: n.a.
- 4.8.3. for Universal booster cushion ECRS, the Universal booster cushion ECRS user instruction label shall permanently visible: n.a.
- 4.8.4. for Specific vehicle booster cushion ECRS, the Specific vehicle booster cushion ECRS user instruction label shall permanently visible: n.a.
- 4.8.5. Marking for Booster cushion: n.a.
- 4.9. Marking for ECRS with an impact shield: n.a.
- 4.10. Any removable insert, shall have a permanently attached label to indicate the brand, model and size range of the Enhanced Child Restraint System to which it belongs: fulfilled
- 4.11. A Booster seat that converts to a Booster cushion by a removable backrest, shall have a permanently attached label on the backrest, to indicate the brand and model of the Enhanced Child Restraint System to which it belongs and the size range: n.a.



Technical Report No.: CW126 – 25 – TAC
 Regulation: UN Reg. No. 129.04
 Manufacturer: FUZHOU LANBAOER BABY PRODUCTS CO., LTD., China
 Type: M7

6/18

- 4.12. ECRS shall have a permanently attached label to inform the user of the appropriate method of restraint of the child over the entire stature range declared by the manufacturer: fulfilled
- 4.13. Marking for Integral Belted Enhanced Child Restraint System
- 4.13.1. for Universal Belted ECRS, the Universal Belted ECRS user instruction label shall permanently visible: fulfilled
- 4.13.2. for Specific vehicle Belted ECRS, the Specific vehicle Belted user instruction label shall permanently visible: n.a.
- 4.14. Additional markings: fulfilled

6. General specifications

6.1. Positioning and securing on the vehicle

- 6.1.2.5.& 6.1.3.4. Measurement from Cr to load bearing point (Left & Right)

Item	Measured	Limit
Measurement from Cr to load bearing point	Left 245mm	≥150mm
	Right 245mm	≥150mm

Sample No. 1: meet the requirements

- 6.1.2.6.& 6.1.3.5. Belt remaining on spool

Item	Measured	Limit
Belt remaining on spool	Integral 180mm	≥150mm
	Non-integral -	-
	Booster cushion -	-

Sample No. 1: meet the requirements

6.2. Configuration of the ECRS

- 6.2.1.4. Lap strap position when smallest & largest dummies are installed: fulfilled
- 6.2.1.5. Angle α and β measured with smallest & largest dummies: n.a.



6.3. ECRS specification

6.3.1. Material

Items	Signed Declaration Received?	Test Report Reference (If applicable)
6.3.1.1. Toxicity	See Appendix 3 of information document	WDX24100872ENR1
6.3.1.2. Flammability	See Appendix 3 of information document	WDX24100871ENR1

6.3.2. General characteristics

6.3.2.1. Internal geometric characteristics


		Unit	Measured	Limit
Declared stature range	40-85cm			
For Integral ECRS	40-85cm			
The minimum occupant size	Minimum Shoulder Height (E1)	cm	27.0	<27.4
The maximum occupant size	Sitting Height (B)	cm	53.6	≥53.4
	Shoulder Breadth (C)	cm	27.5	≥26.9
	Hip Breadth (D)	cm	25.0	≥22.0
	Maximum Shoulder Height (E2)	cm	34.0	≥33.9
For Non-integral ECRS	-			
The minimum occupant size	Minimum Shoulder Height (E1)	cm	-	-
The maximum occupant size fit within the ISO/B2 size envelope(135cm)	Sitting Height (B)	cm	-	-
	Shoulder Breadth (C)	cm	-	-
	Hip Breadth (D)	cm	-	-
	Maximum Shoulder Height (E2)	cm	-	-
The maximum occupant size	Sitting Height (B)	cm	-	-
	Shoulder Breadth (C)	cm	-	-
	Hip Breadth (D)	cm	-	-
	Maximum Shoulder Height (E2)	cm	-	-

Sample No. 1: meet the requirements

6.3.2.2. External dimensions

Configuration Measured	Rearward facing, Integral, 40-85cm
ISO volume	R2
ECRS adjustments that fit within volume	
Headrest position	Position 1-6
Reclined position	fixed
Side wing position	n.a.
Verification photos of physical check	fulfilled
Verification image if checked using CAD drawing	n.a.

Sample No. 1: meet the requirements





6.3.2.3. Mass

	Item	Measured	Limit
Mass	Mass of CRS [kg]	3.3 ± 0.3 kg	-
	Max. Mass of Occupant [kg]	13 kg	-
	Mass of System [kg]	16.3 ± 0.3 kg	≤33 kg

Sample No. 1: meet the requirements

- 6.3.3. ISOFIX attachments: n.a.
- 6.3.4. ISOFIX ECRS top tether strap specifications: n.a.
- 6.3.5. i-Size ECRS support-leg and support-leg foot requirements: n.a.
- 6.3.6. Lower tether strap specifications: n.a.
- 6.3.7. Generic lower tether bracket specifications: n.a.
- 6.3.8. Generic lower tether bracket strength test: n.a.
- 6.4. Control of marking: fulfilled
- 6.5. Control of instructions on installation and the instructions for use: fulfilled
- 6.6. Provisions applicable to the assembled restraint
- 6.6.1. Resistance to corrosion
 (only the corrosible parts were tested): fulfilled

6.6.2. Energy absorption

	Area of headform impact		Headform deceleration
Deceleration of headform [g] (limit 60g)	The middle of head backrest		8.8
	The sides of head backrest	left side wing	6.7
		right side wing	7.8
Depth of the side wings* ≥90 mm	fulfilled		

*only apply for rearward-facing device

Sample No. 2: meet the requirements



6.6.3. Overturning

	ECRS orientation	Installation Methods	Direction of rotation				Mass of the dummy [kg]
			Clock wise	Anti-clock wise	Roll ahead	Roll back	
Dummy's head vertical movement [mm] (limit 300 mm)	Rearward-facing (40-85cm)	Adult safety-belt	150	150	150	160	3.5
			170	180	180	175	11.3

Sample No. 3: meet the requirements

6.6.4. Dynamic test

Type of dynamic test device:	deceleration
Deceleration curves:	meet the requirements
Position of buckle during the test:	on the dummy abdomen
Configuration of Test samples: (Sample No. 4 to No. 9)	Universal belted ECRS, integral, rearward-facing (40-85cm).
Remarks:	Detail results of dynamic test see below <i>Table 1 to Table 2</i>



Table 1

Testing parameter		Limit		Result			
ECRS Class		-		integral			
ECRS orientation		-		rearward-facing			
Impact direction		-		frontal		rear	
Backrest position		-		fixed			
Sample No.		-		4	5	6	7
Used dummy		-		Q0	Q1.5	Q0	Q1.5
Mass of dummy [kg]		-		3.5	11.3	3.5	11.3
Trolley impact speed [km/h]		48-50	30-32	49.3	49.6	30.4	30.3
Trolley Stopping distance [mm]		600-700	250-300	655	650	275	270
Trolley max. deceleration [g]		20-28	14-21	23.1	23.3	17.7	17.7
Head performance criterion		-		101	143	50	44
Head acceleration 3ms [g]		≤75		36.3	42.2	30.9	25.7
Chest acceleration 3ms [g]		≤55		41.2	41.6	34.1	26.6
Chest deflection [mm]		-		-	16.4	-	5.7
Upper neck tension force [N]		-		87	207	470	253
Upper neck flexion moment [Nm]		-		11.1	12.2	7.6	6.3
Abdominal pressure [bar]	L	≤1.2		-	0.11	-	0.20
	R	≤1.2		-	0.11	-	0.17
Maximum of head displacement	x [mm] (horizontal)	700		481	597	298	399
	at time [ms]	-		56	66	1	1
	Contact 100mm bar	-		no	no	no	no
	z [mm] (vertical)	800		424	596	444	623
	at time [ms]	-		231	297	92	192
	no pass DE plane	no		no	no	no	no
Buckle open force after [N]		≤ 80		57	53	47	45
Failure or breakage		no		no	no	no	no
Belt Force [N]	Shoulder	45-55		50	50	50	53
	Lap	45-55		50	48	45	52

Samples No. 4 to No. 7 fulfilled the dynamic test requirements.



Technical Report No.: CW126 – 25 – TAC
 Regulation: UN Reg. No. 129.04
 Manufacturer: FUZHOU LANBAOER BABY PRODUCTS CO., LTD., China
 Type: M7

11/18

Table 2

Testing parameter	Limit	Result	
ECRS Class	-	integral	
ECRS orientation	-	rearward-facing	
Impact direction	-	lateral	
Backrest position	-	fixed	
Sample No.	-	8	9
Used dummy	-	Q0	Q1.5
Mass of dummy [kg]	-	3.5	11.3
Door bench relative velocity [m/s]	6.375-7.25	6.75	6.71
Head performance criterion	≤600	214	272
Head acceleration 3ms [g]	≤75	64.9	65.7
Upper neck tension force [N]	-	197	335
Upper neck flexion moment [Nm]	-	8.1	8.4
Head containment (No head contact and not exceed vertical plane)		no	no
Buckle open force after [N]	≤80	50	59
Failure or breakage	no	no	no
Belt Force [N]	Shoulder	45-55	45
	Lap	45-55	52
		45	46
		52	48

Samples No. 8 to No. 9 fulfilled the dynamic test requirements.

6.6.5. Resistance to temperature
 (only the relevant parts were tested): fulfilled

6.7. Provisions applicable to individual components of the restraint

6.7.1. Buckle

6.7.1.1. General requirements for buckles

~6.7.1.5. (including dimensional and geometrical): fulfilled

Buckle	Result	Limit
Width for enclosed [mm]	-	≥15
Area for enclosed [cm ²]	-	≥4.5
Width for non-enclosed [mm]	16	≥10
Area for non-enclosed [cm ²]	3.8	≥2.5

6.7.1.6. The buckle shall be test by heat and
 operate 5,000 ± 5 opening and closing
 cycles, before dynamic test: fulfilled



6.7.1.7. Buckle releasing force before and after
dynamic test: fulfilled

Buckle	Result	Limit
Unloaded buckle opening force [N]	56	40~80
Loaded buckle opening force [N]	62	80

6.7.1.8. Strength of the buckle
Buckle shall withstand 4kN for mass limit
not greater than 13kg: fulfilled

Buckle	Result	Limit
Sample 1	6631N	≥4000N
Sample 2	5515N	

6.7.2. Adjusting device

6.7.2.1. General requirements for adjusting
~6.7.2.4. device: fulfilled

6.7.2.5. Microslip testing, the amount of strap
slip shall not exceed 25mm for one
adjusting device or 40mm for all adjusting
devices: fulfilled

6.7.2.6. The adjuster must not break or become
detached when test for ease of
adjustment: fulfilled

6.7.2.7. An adjuster shall be test by operate 5,000
± 5 cycles, before dynamic test: fulfilled

Item		Measured	Limit
Manual adjusting force [N]		12	≤50
Repeated operation before dynamic test [cycles]		5000	5000 ± 5
Microslip [mm]	Sample 1	0	≤25
	Sample 2	0	

6.7.3. Retractors: n.a.





6.7.4. Straps

			Requirements	Measured value	Result
Strap			-	25 mm	
Strap width [mm] strained by 75% of its breaking load	Sample 1	≥25	25.7	pass	
	Sample 2	≥25	25.7	pass	
Strength F [kN] after room conditioning	Sample 1 (F1)		14.6	pass	
	Sample 2 (F2)		14.6	pass	
Difference between F1 and F2 ($< 10\%$ of the bigger value of F1, F2)			0	pass	
Force [kN] of the strap destruction after its special conditioning	75% of the average of F1 and F2		11.0	-	
	light conditioning	Sample 1	≥3.6 kN, and ≥75% of the average of F1 and F2	13.8	pass
		Sample 2		14.2	pass
	cold conditioning	Sample 1		14.0	pass
		Sample 2		14.2	pass
	heat conditioning	Sample 1		14.4	pass
		Sample 2		14.7	pass
	exposure to water	Sample 1		14.6	pass
		Sample 2		14.8	pass
	abrasion conditioning	Sample 1		-	-
Sample 2		-		-	

6.7.5. ISOFIX attachment specifications: n.a.

6.7.6. Lock-off devices: n.a.

6.8. Classification: fulfilled



Technical Report No.: CW126 – 25 – TAC
 Regulation: UN Reg. No. 129.04
 Manufacturer: FUZHOU LANBAOER BABY PRODUCTS CO., LTD., China
 Type: M7

14/18

9. Production qualification

9.2. Production qualification test

Configuration of test samples:
 (Sample No. PQT-1 to 5)

Universal belted ECRS, integral, rearward-facing (40-85cm). Backrest position: Fixed. Test with Q1.5 dummy (11.3kg), frontal impact.

Remarks:

n.a.

PQT No.	Maximum horizontal head excursion [mm] (L: 700)	Head acc. 3ms [g] (≤ 75)	Chest acc. 3ms [g] (≤ 55)	Head criterion - HPC	Abdominal pressure [bar] (≤ 1.2)		Upper neck tension force [N]	Upper neck flexion moment [Nm]	Chest def. [mm]
1	615	42.8	31.1	155	0.15	0.12	326	10.5	16.5
2	597	45.0	28.2	169	0.12	0.09	162	15.8	16.6
3	612	47.8	31.5	205	0.12	0.45	240	13.6	16.7
4	606	47.6	30.8	200	0.13	0.12	252	13.2	16.5
5	602	46.0	43.4	201	0.14	0.68	171	15.4	16.2
Calculation X	606.4	45.8	33.0	-	-	-	-	-	-
Calculation S	6.5	1.8	5.3	-	-	-	-	-	-
X + S	612.9	47.6	38.3	-	-	-	-	-	-

No value shall exceed 1.05 L, and
 X + S shall not exceed L:

Samples PQT-1 to 5 fulfilled the
 production qualification test requirements.

14. Information for users

14.1. ECRS is accompanied by instructions in the language of the country where the device is sold:

fulfilled

14.2. Instructions on installation:

fulfilled

14.3. Instructions for use:

fulfilled

3. Specimen submitted to test on:

2024-12-03


4. Date of test:

2024-12-03 to 2025-02-06

III. Manufacturer's information folder

No. 129-M7-00

26 pages total of 2024-12-03





IV. Other documentation

Graphs

-Deceleration curves of sled test trolley: Pages 16 to 18

V. Attachments

No attachments

The results presented above relate to the tested items only and to the sample as provided by the customer.

Measuring and test equipment and test site meet the requirements of the applicable legislation.

This report shall never be reproduced incomplete and without a written permission of the testing laboratory. TÜV SÜD CZECH confidentiality degree: confidential.

A decision rule (in the section Final assessment) without consideration of measurement uncertainties is used for statement of conformity.

VI. Final assessment

The described sample in tested items

complies

with the requirements of UN Regulation No. 129.04
for issue of approval certificate

This technical report consists of pages No. 1 to 18.

Test report approved by

Václav Baloun

Report author

Vit Bursik


Officially recognized expert

Prague, 2025-02-13




Graphs: Deceleration curves of sled test trolley

- a) Tested sample No. 4, dummy Q0, frontal impact; Universal belted ECRS, integral, rearward facing, with Ø100mm bar.




- b) Tested sample No. 5, dummy Q1.5, frontal impact; Universal belted ECRS, integral, rearward facing, with Ø100mm bar.






- c) Tested sample No. 6, dummy Q0, rear impact; Universal belted ECRS, integral, rearward facing, with Ø100mm bar.




- d) Tested sample No. 7, dummy Q1.5, rear impact; Universal belted ECRS, integral, rearward facing, with Ø100mm bar.






- e) Tested sample No. 8, dummy Q0, lateral impact; Universal belted ECRS, integral, rearward facing.



- f) Tested sample No. 9, dummy Q1.5, lateral impact; Universal belted ECRS, integral, rearward facing.



End of the technical report



FUZHOU LANBAOER BABY PRODUCTS CO., LTD.

Type: M7

ID No.: 129-M7-00

Date: 2024-12-03

Page 1 of 26

INFORMATION DOCUMENT

Of

UN REGULATION NO. 129.04

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF:
ENHANCED CHILD RESTRAINT SYSTEMS USED ON BOARD OF
MOTOR VEHICLES
(ECRS)

FOR PRODUCT TYPE:

M7

Responsible person: Zhou Sheng

FUZHOU LANBAOER BABY PRODUCTS CO., LTD.



FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	Type: M7
	ID No.: 129-M7-00
	Date: 2024-12-03
	Page 2 of 26

List of documentation

0. General.....3

1. Technical description.....4

Appendix 1: BOM LIST and Drawings.....6

Appendix 2: Label20

Appendix 3: Declaration on the toxicity and flammability of used materials.....21

Appendix 4: Manufacturer’s instruction manual for use.....22

Appendix 5: Packing info.....26



0. GENERAL

0.1 Make (trade name of manufacturer):

KANZ, Pierre Cardin, nina Bebek, Chelino, AiMiLe, Viano, Baby Things, kidilo, LUXMOM, LOVAMAMA, BIBIKIDS, Emily, Illaria, Grace, Leia, Mio twin, Thomas train twin, TWIN TRAIN, Space Maks, Rider twin, Cooper, safeguard, bodyguard, Parker, Discovery, gamer, TWIST, Shuffle, Bibikids, Voyager, BibiKids, bibikids, Darex, Little planet, LITTLE PLANET, Little sonya, LITTLE SONYA, little sonya, MY BABY, SWEET BABY, SPASE GT, Babyjet, BABYJET, My Baby, my baby, babyjet, one, one plus, oneplus, one+, Easy, Universal, EasyUniversal, Iron, GAMEMIP, PIRMAG, PROYOYA, Kykababy, Sweet kids, KYKA, PLANKIN, hibobi, mayla, KIDILO, CARE BABY, THUNDER, ECHO, OKIE DOKIE, N GO, YEEHOO, LUXMOM, F GO, PRONTO RTS, PRONTO, NEXUZ R, BRAVO, TIANRUI, SAFEWAY, LEJOUX, ARES, KEOPS, MAMAKIDDIES, IYIJIA, BYBERIT, IBABY, MAMY TOWN, MAXIBABY, LITTLE BRU, Smile, Little one, Baby love, Baby BABYSTAR, Newborn, BBO, MONI, Mon bebe, Moni, bebestar, Cangaroo, Priori, Premium Baby, pikaboo, Yamp!, Lifestyle by infanti, Happy baby, Baby happy, Baby craft, Baby Kit's, bebesit, Infantino, GRACO, evenflo, Disney baby, Multi, Multikids, Prinsel, Playful baby, Circus, RANT, Infanti, MAGIC ZC, KESSER, YAZOCO, JANE, CONCORD, LORELLI, ASPEN, PLIKO, belluno baby, KABUCHI, Wisesonle, Cocolle, SAVCNA, CASILOO, Dulce Baby, COMFORT TIME, STAR BABY, LibreBon, BayoBay, BBo, Bronea, Kanz, Mina Bamtina, Kinderwagen-Shop24, VERONA, motek®, KIDUKU, JUMBO BABY, ColorBaby, tectake, pepita, MOMMO®, XL by mommo, A&A, beige, KIDS Kali, burbay, Premium, Zi, wondrus, Telekepi, Aiolos, BABYKISS, babykids, FLUFFY CARE, ib style, cool baby, TRB, LULLABY IMAGINE BIG, Mike lino®, GREENSKY®, INLEY®, Blovamama, Bibikids, Luxmom, Kyka, bibibaby, PEGAS PREGO, Mino Bambino, LeP'tit Poucé, kidGO®, MAVAO®, Bella BABY, LiFE AUTHENTICS, Kidi, INING BABY, Plodun, NEW LUX, Baby Way, LOVE smart, KRAFT, amzdeal, hunggy, KIKKA BOO, TIARA, BABY2GO, Baby Plus, Prime bebe, D'ORA, Palli, BABYMAX, beauerkraft, Kiddo, MY BEBE, Kidscool, BEBEFAITH, BABYHUG, KIDDO, KIWI, XPRESS, B2G, SHINYKING, Baby Craft, King unstoppable, Bambino, maxibaby, priori, Baby Smile, Kinder King, LIBERTA, FLOTTI, Max baby, Gese baby, kiddo nation, SULU, MOUDAO, MOUMISS, KEEPOLO, ElveBuka, RocPulire, ARLIFO, kaedyn, Zkiprm, Kakbgee, babyboo, JO MOYNER, JO MOYNER LONDON, Berma Baby, BERMA BABY, SKISOPGO, Aikenn, Vomeast, Bambico, Lorelli, FIRST STEP, LALALUX, LOCO CROCO, duux, Tripper, BEBE FAITH, YOYKO, POWERKIDS, BABY GO, BBQOOL, MEGA BABY, KING BABY, BENE BABY, TinOKIDS, FLYKIDS, Gcarebb, TEAYINGDE, Mikelino, juju, elele, Stokker Baby, Baby Angel, POPYPAPA, AGAPE, HOTMOM, Dalux, FIMOS, SteAnny®, NAF NAF, storch, ACTIVE, LOVA, MUWO baby, GaGa DuMi, BARMOYA, lifestyle by infanti, jungle, Baby Happy, HAPPY baby, playful baby, circus, multi kids, Chipolino, Ninos, NESTA, BABY OWL, Bebelissimo, Daliya, Barotti, Asalvo, Momi, Sweetbaby, Indigo, Jovola, Dzieco, Infanti, kinder land, zy safe, infanti, cosco, safety 1st, Bounce, MUWO-Baby, BABY ALMA, BABYKISS, Farfello, ADL, Kidilo, Vikalex, MamaLoes, SAFARI KIDS, ARAS, Brauni, SAFARI, KIDS, SAFARI BESTLIKE, UNITRAIN, BROWNIE, SAFARI DINO, BEST FOR BABY, Bradex, SAFARI STAR, BELECOO, UT Kids, Preko, Girolli, Myko, Giovani, Evego, D-Kids, Hi Baby, LUNNO, Club Baby, Chiccdi, Casa Bebe, Home Baby, newber, Hagaday, Miller Belle, 美乐贝儿, Mele baby®, KRAFT, TIARA, 尚乐星, SHINYKING JIAOBEI, HAGADAY, Teknum, newber A&A, magic kingdom, nanagde, newborn, willbabaydan, CADDY, charli, babyplus, YOYKO LALALUX Jo Moyner, BABY PLUS, TELEKEPI MODENA NEGRO, GREENSKY, TonOKids, Huggy, Hi baby, Pixini, SHINGKING, FLOTTI, Kraft, SAVCNA, CASILOO, Magic ZC, Luxmom, Redkite, Fartello, PUCK, BABYHOPE, Chipolino, Jungle, zy safe, cosco, safety 1st,

LOVA, lovemama, luxmom, Mybaby, skillmax, Innerbaby, babyhope, voyage, moni, Florence, alma, polly, midas, Ebaby, bolina, Minio, cartan, hilemei, oley, Kikka boo, Born dlx, Chipolino, Baby does, TRALLY, R for rabbit, Gonser, CHIKKO, COOLOV, didit, mamakiddies, CADDY, CHARLI, MEGA, KING, BABY, TinOKids, HUGGY, PIKABOO, HAPPY BABY, BABY CRAFT, LIFESTYLE BY INFANTI, BABY HAPPY, PREMIUM BABY, PRIORI, YAMP, PLAYFUL BABY, CIRCUS, KRAFT, huggy, BABY2GO, Baby plus, Primebebe, bauerkraft, Kiddo, LLALXPRESSALUX, BEBE, FAITH, Huggy, Baby C, Hebe, NICEkids, Bambi, Bebes, Carelife, BABY-COO, Lummi, BARI, nunù, MINIO, CARTAN, ZHILEMEI, MIKELINO, FUNFUNTOWN, MAMCH, AKIDDIES, GONSER, Piccolo, Chipolino, N-GO, Kiddy, Mamakiddies, okie dokie, Lejoux, Little one, Little Bru, Baby kit's, Axes, PRONTO, CUTE BABY, STARANDDAISY, I-sun, AdaBaby, AMAROBABY

- 0.2. Type: M7
- 0.2.1. Commercial description(s): n.a.
- 0.2.2. Variant(s): n.a.
- 0.5. Name and address of manufacturer: FUZHOU LANBAOER BABY PRODUCTS CO., LTD.
Whole Building, 6# Factory Building, No.10 Guopu Road, Ganzhe Sub-district, Minhou County, Fuzhou City, Fujian Province, China
- 0.7. In the case of components and separate technical units, location and method of affixing of ECE approval mark: Sticker pasted on the bottom of shell
- 0.8. Address(es) of assembly plant(s): See 0.5.
- 0.9. Name and address of manufacturer's representative: n.a.

1. TECHNICAL DESCRIPTION

- 1.1. ECRS category: Universal Belted
- 1.2. ECRS class: Integral
- 1.3. Size Range: 40-85cm
- 1.4. The maximum occupant mass allowed for Integral ECRS: 13kg
- 1.5. ECRS orientation: Rearward-facing
- 1.6. Anti-rotation device: n.a.
- 1.7. Child Restraint Mode: Y-shaped belt
- 1.8. Locking-off device type: n.a.
- 1.9. Type of retractor: n.a.
- 1.10. Belt type: adult safety belt
- 1.11. Other features: Chair assembly
- 1.12. Mass of the complete CRS: 3.3 ± 0.3 kg
- 1.13. Installation method: adult safety belt




FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	Type: M7
	ID No.: 129-M7-00
	Date: 2024-12-03
	Page 5 of 26

- | | | |
|-------|--|---|
| 1.14. | Backrest positions: | Fixed |
| 1.15. | Drawings, diagrams and markings of the ECRS, including all its relevant parts: | See Appendix 1, BOM LIST and Drawings |
| 1.16. | Declaration on toxicity in accordance with Paragraph 6.3.1.1. of UN R129.04: | See Appendix 3, Declaration on the toxicity and flammability of used materials |
| 1.17. | Declaration on flammability in accordance with Paragraph 6.3.1.2. of UN R129.04: | See Appendix 3, Declaration on the toxicity and flammability of used materials |
| 1.18. | Instruction for use of ECRS in the vehicle: | See Appendix 2, Labels;
See Appendix 4, Manufacturer's instruction manual;
See Appendix 5, Packing Info |





Appendix 1: BOM LIST and Drawings
- BOM LIST (Key Components)

No.	Picture	Name	Spec /Material	Manufacturer	DWG No.
1		Handle	PP	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	LBE09-02
2		Basket	PP	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	LBE09-01
3		Overtape1	PP	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	LBE09-05
4		Overtape2	ABS	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	LBE09-04
5		Button	ABS	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	LBE09-03
6		Buckle	ABS	Wuxi Lee-care Child Product Co.,Ltd.	CQM-04
7		Adjuster	Q235	Ningbo Yinzhou Yuqi Machinery Facotry	CQM-02
8		Harness assembly	Dacron	FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	CQM-05
9		strap	Dacron	Yuyao Tianrun webbing co.,Ltd/Shaoxing Secure New Material Co.,Ltd	-





- Drawings
No. M7, Assembly

Design设计		Date日期	2024-10-14	Product name 产品名称	Assembly drawing 组装图
Review审核		Quantity数量	1	Product type 产品类型	M7
Craft工艺		Material材质			
Approval批准		Colour颜色		FUZHOU LANBAOER BABY PRODUCTS CO.,LTD 福州蓝宝儿童用品有限公司	






No. M7 exploded view



No. M7 size envelope


Design设计		Date日期	2024-10-14	Product name 产品名称	D
Review审核		Quantity数量	1	Product type 产品类型	M7
Craft工艺		Material材质		FUZHOU LANBAOER BABY PRODUCTS CO.,LTD 福州蓝宝/婴童用品有限公司	
Approval批准		Colour颜色			



No. LBE09-02, Handle

Technical requirement
技术要求:1. weight重量: 550g





Designy设计	江小凤	Date日期	2024-10-14	Product name 产品名称	Handle手柄
Reviemp审核		Quantity数量	1	Product type 产品型号	LBE09-02
Craft工艺		Material材质	PP	FUZHOU LANBAOER BABY PRODUCTS	
Approval批准	周胜	Colour颜色	Black	CO.,LTD 福州蓝宝儿婴童用品有限公司	



No. LBE09-01, Basket

Technical requirement
技术要求:1. weight重量: 1350g


Designy设计	江小凤	Date日期	2024-10-14	Product name 产品名称	Basket 篮体
Reviemp审核		Quantity数量	1	Product type 产品类型	LBE09-01
Craft工艺		Material材质	PP	FUZHOU LANBAOER BABY PRODUCTS	
Approval批准	周胜	Colour颜色	Black	CO.,LTD 福州蓝宝儿童用品有限公司	



No. LBE09-05, Overtape1

Technical requirement
技术要求: 1. weight重量: 28g

Design设计	江小凤	Date日期	2024-10-14	Product name 产品名称	Overtape过带件1
Review审核		Quantity数量	1	Product type 产品类型	LBE09-05
Craft工艺		Material材质	PP	FUZHOU LANBAOER BABY PRODUCTS	
Approval批准	周胜	Colour颜色	Greener	CO.,LTD 福州蓝宝儿婴童用品有限公司	




FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	Type: M7
	ID No.: 129-M7-00
	Date: 2024-12-03
	Page 13 of 26

No. LBE09-04, Overtape2

Technical requirement


技术要求:1. weight重量: 37g


Designy设计	江小凤	Date日期	2024-10-14	Product name 产品名称	Overtape过带件2
Reviemp审核		Quantity数量	1	Product type 产品类型	LBE09-04
Craft工艺		Material材质	ABS		
Approval批准	周胜	Colour颜色	Greener		
				FUZHOU LANBAO BABY PRODUCTS CO.,LTD 福州蓝宝儿婴童用品有限公司	




FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	Type: M7
	ID No.: 129-M7-00
	Date: 2024-12-03
	Page 14 of 26

No. LBE09-03, Button


		Design设计		江小凤	
		Review审核			
		Craft工艺			
		Approval批准		周胜	
		Quantity数量		2024-10-14	
		Material材质		1	
		Colour颜色		ABS	
				Grey灰色	
		Product name 产品名称		FUZHOU LANBAOER BABY PRODUCTS	
		Product type 产品型号		LBE09-03	
				CO.,LTD 福州蓝宝儿童用品有限公司	





No. CQM-04, Buckle



No. CQM-02, Adjuster



No. CQM-05, Harness assembly



- Position of Plastic info, Installation Labels, and ECE approval markings

Location of plastic info.(Production date, Material, Recycling) marking:




Location of the Warning Labels, Installation Labels, Approval marking and the Instruction Manual:





Appendix 2: Labels
-Installation Labels



FUZHOU LANBAOER BABY PRODUCTS CO., LTD.	Type: M7
	ID No.: 129-M7-00
	Date: 2024-12-03
	Page 21 of 26

Appendix 3: Declaration on the toxicity and flammability of used materials

Statement Concerning the Toxicity and Flammability.

We hereby declare that the materials used to manufacture the enhanced child restraint system M7 are in conformity with the requirements of par. 6.3.1.1 and par. 6.3.1.2 in regulation UN R129.04 regarding to the toxicity and flammability.

Faithfully yours

Responsible person: Zhou Sheng

FUZHOU LANBAOER BABY PRODUCTS CO., LTD.



Appendix 4: Manufacturer's instruction manual for use

FUZHOU LANBAOER BABY PRODUCTS CO., LTD.


Address: Whole Building, 6# Factory Building, No.10 Guopu Road,
Ganzhe Sub-district, Minhou County, Fujian Province, China
Phone: 0591-8356364
Email: lanbaer.163@.com
P.C: 350199

INSTRUCTION FOR USE

Congratulations on your purchase of the child seat. Please read this instruction manual carefully before use. If you have any questions concerning the use of this child seat, please do not hesitate to contact us.

Universal Belted Enhanced
Child Restraint System

MODEL: M7



40CM - 85 CM
≤13KG

WARNING: DO NOT place rear-facing child seat on front seat with airbag. DEATH OR SERIOUS INJURY can occur.

Contents

1. Vital information-READ NOW.....	1-2
2. Safety instruction.....	3
3. Use safety seat in this way.....	3
4. Parts and interior equipment.....	4
5. Using the buckle.....	5
6. Adjust the Y-Shaped belt.....	5
7. Adjust the height of the shoulder straps and headrest	6
8. Adjust the handle.....	7
9. Use of seat cotton pad.....	8
10. Installation of the baby car seat.....	8-10
11. Remove the cover.....	11-12
12. Maintenance and cleaning.....	13

Notice

This is an Universal Belted Enhanced Child Restraint System. It is approved according to UN Regulation No.129, for use primarily in "Universal seating positions" as indicated by vehicle manufacturers in the vehicle user's manual.


If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer.

IMPORTANT: The universal belted enhanced child restraint system, approved according to the ECE R129 Regulation, for children less than 15 months, between 40 and 85 cm in height with a maximum weight of 13 kg.

1. Vital information-READ NOW

For your child's safety, please read these instructions carefully before use and keep them for future reference. Failure to follow the instructions contained in this manual could result in serious injury to your child.

1. This child seat can only be used with the Y-Shaped belt for children less than 13 kg in weight (for children less than 15 months, between 40 and 85 cm in height).
2. This instruction manual can be retained in the special space of the child seat for its life period.
3. It shall be recommended that children are not left in their child restraint system unattended.
4. Do not place rear-facing child seat on front seat with airbag. Death or serious injury can occur.
5. The child seat should be changed when it has been subject to violent stresses in an accident.
6. For the reason of safety, the child seat must be fixed inside the vehicle even if you do not put your child inside the child seat.
7. Always make sure that any straps holding the seat restraint to the vehicle shall be tight, any straps restraining the child should be adjusted to the child's body, and check that the straps shall not be twisted.
8. Do not use any load bearing contact points other than those described in the instructions and marked in the child restraint.



9. Any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured.

10. The rigid items and plastic parts of a child restraint must be so located and installed that they are not liable, during everyday use of the vehicle to become trapped by a moveable seat or in a door of the vehicle.

11. To prevent from the risk of fall, your child should always be fastened.

12. It is dangerous to make any alteration or additions to the device without the approval of the competent authority, and a danger of not following closely the installation instructions provided by the child restraint manufacturer.

13. The child restraint must not be used without the cover.

14. The seat cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.

15. Before you adjust any movable or adjustable parts of your child seat, you must remove your baby from the child seat.

16. The child seat should be kept away from sunlight if the seat is not provided with a textile, otherwise it may be too hot for the child's skin.

17. Never use a second-hand product, as you can never be certain what was happened to it.

18. Please identify unsatisfactory position of the adult safety belt buckle relative to the correct point of the child safety seat, if in doubt, please contact the child seat manufacturer.


19. Before proceeding with the purchase, check that the car seat is compatible with your car. If in doubt, consult the manufacturer of the car seat or the dealer

INFANT CARRIER MODULE

These instructions show the use of the infant carrier module. Please read all the instructions in this manual before installing and using the product.


! IMPORTANT: KEEP FOR FUTURE REFERENCE. PLEASE READ CAREFULLY.

Please keep the instruction manual in the storage bag on the back of the cover as right figure.



2

2. Safety instruction




- 1) The safety belt must be approved to ECE R 16 or a comparable standard (see test label on belt with an "E" or "e" in a circle).
- 2) The front airbag must be deactivated. Observe the instructions in the vehicle owner's manual.
- 3) Cannot be used if the vehicle seat is equipped with only a 2-point belt.



NOTICE: If the buckle strap of car seat is too long, the child restraint system can not be installed firmly. It is very dangerous. If any doubt, please consult the child restraint system manufacturer.

3. Using safety seat in this way



Forward facing traffic direction	Correct
Back facing traffic direction	Error
Vehicle is only fitted with 2-point safety belt	Error
Vehicle is fitted with 3-point safety belt	Correct
Seat beside the driver	Error
Rear seat	Correct
Rear middle seats Three-point Belt	Correct



- NOTICE**
- ✓ You can install this position
 - ✗ Unable to install the position
 - ⚠ Do not install the child safety seat at the front seat with air bag.
 - ⚠ Only with the three-point safety belt, can this location,

3


4. Parts and interior equipment



👉 : routing label

4


5. Using the buckle



Locking Method :
Align the left and right buckle tongues to one tongue and insert into the buckle until you hear a "Click".

Unlocking Method :
You can press the red button of the buckle the two metal sections will be pop up.


6. Adjust the harness




-Loosening the shoulder harness
Press the adjuster button under the cover and at the same time pull both shoulder straps forward.


-Tightening the shoulder harness
Pull the adjuster strap until the harness is fully tightened.

5





7. Adjust the height of the shoulder straps and headrest

Always check that the shoulder straps are at the correct height for your child.




Step 1: Loosening the shoulder Y-Shaped belt



Step 2: Slide the seat belt up and down on the side to adjust the height of the headrest and shoulder

6

8. Adjusting the handle


You can engage the handle in four positions:
Simultaneously press both buttons on the handle. Then whilst holding the buttons pressed turn the handle backwards or forwards until it engages in the desired position.




For setting the baby down safely outside the car seat



For placing your baby into the baby seat





For carrying and transporting baby




For installed in the car


7

9. Use of seat cotton pad

NOTICE: Infant insert is for children's protection. Children whose height is between 40 and 75cm are suitable to use the infant insert. After the child is placed in the seat, check if the shoulder Y-Shaped belt are set to the correct height.


10. Installation of the baby car seat

Step 1: Put the child into the seat




Step 2: Fasten the Y-Shaped belt. Check that the Y-Shaped belt does not twisted.


8



Step 3: Pull the adjuster strap until the Y-Shaped belt is fully tightened.




Step 4: Place the child seat on the car seat rearward-facing and make sure that the front of the child seat is firmly pressed against the car seat backrest.




Step 5: Pull out the 3-point car seat belt, through the belt route slot of backrest follow the routine ①②③(A5, A6, A7)

9






A6




A7



A8

Step 6: Insert the seat belt insert into the car seat belt buckle up and hear "click"(A7)


Notice: Belt part of car safety belt , It must pass over the child's legs.



Step 7: Pull car seat belt follow the direction of red arrow and make sure the belt is tight enough(A8).


10

11. Remove the cover




B1

Step 1: The canopy can be removed by withdrawing the awning strip from the clamping groove with tools(B1).



B2


Step 2: Release the buckle(B2)



B3


Step 3: Remove cushion , Comfort pad and shoulder pad(B3).

11



B4

Step 4: Unbutton the cloth cover and remove the headrest(B4).



B5

Step 5: Pull all directions to take out the cover(B5).

※Follow in reverse order and repeat the procedure to put on the fabric cover

12


12. Maintenance and cleaning

12.1 Daily maintenance

1. In daily use, check periodically the child seat. The child seat should be replaced after an accident.
2. Please keep this child seat in dry and ventilated place to avoid damp moldy.
3. If the child seat becomes dusty, clean the seat belt and the plastic pieces by swiping them with a damp sponge and let it dry naturally.
4. If food or drink drop accidentally on the buckle, disassemble the seat belt from the child seat and rinse it gently by warm water. Leave it dry naturally.
5. For cleaning the entire child seat fabric cover, please refer to the 12.2 washing instructions.

12.2 Washing instruction

Never use any solvent, chemical detergent or lubricant on any part of your child seat.



13



Appendix 5: Packing info

Universal Belted Enhanced Child Restraint System  40CM-85CM / MASS≤13KG	NOTICE This is an Universal Belted Enhanced Child Restraint System. It is approved according to UN Regulation No.129,for use primarily in 'Universal seating positions'as indicated by vehicle manufacturers in the vehicle user's manual. If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer. IMPORTANT: The universal belted enhanced child restraint system , approved according to the ECE R129 Regulation, for children less than 15 months ,between 40 and 85 cm in height with a maximum weight of 13 kg. NOT TO USE REARWARD FACING ECRS IN SEATING POSITIONS WHERE THERE IS AN ACTIVE FRONTAL AIRBAG INSTALLED. FUZHOU LANBAOER BABY PRODUCTS CO., LTD. Address:Whole Building, 6# Factory Building, No.10 Guopu Road, Ganzhe Sub-district,Minhou County, Fujian Province, China Phone: 0591-8356364 Email: lanbaoer.163@.com P.C: 350199														
Universal Belted Enhanced Child Restraint System  40CM-85CM / MASS≤13KG	<table><tr><td>ITEM NO.:</td><td>M7</td></tr><tr><td>COLOR:</td><td></td></tr><tr><td>CTN SIZE:</td><td>68x43x31CM</td></tr><tr><td>G.W.:</td><td>3.3KG</td></tr><tr><td>N.W.:</td><td>4.5KG</td></tr><tr><td>QUANTITY:</td><td>1 PC</td></tr><tr><td>SUITABILITY:</td><td>40CM-85CM s0-13KG APPROX.0-15MONTHS</td></tr></table> (READ INSTRUCTION MANUAL BEFORE USE) KEEP DRY FRAGILE UP	ITEM NO.:	M7	COLOR:		CTN SIZE:	68x43x31CM	G.W.:	3.3KG	N.W.:	4.5KG	QUANTITY:	1 PC	SUITABILITY:	40CM-85CM s0-13KG APPROX.0-15MONTHS
ITEM NO.:	M7														
COLOR:															
CTN SIZE:	68x43x31CM														
G.W.:	3.3KG														
N.W.:	4.5KG														
QUANTITY:	1 PC														
SUITABILITY:	40CM-85CM s0-13KG APPROX.0-15MONTHS														

